


**FULLY THREADED STUDBOLTS
WITH TWO HEAVY HEX NUTS
ANSI B16.5/ANSI B18.2.2 TABLE 9**



SALES DEPT.: TEL. ++39 02 96.97.98.20
PURCHASE DEPT.: TEL. ++39 02 96.97.98.30
EXPEDITING DEPT.: TEL. ++39 02 96.97.98.40

VIA DELL'ARTIGIANATO 12 - 22078 TURATE (CO) - ITALY
TEL. ++39 02 96.97.98.01 - FAX ++39 02 96.97.98.29
E-MAIL: info@pressbolt.com - WEB SITE: www.pressbolt.com

PRESS BOLT
S.R.L.

d		WEIGHT (Kg) PER 1 PIECE (IMPERIAL SIZE)													
		3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"	1.1/8"	1.1/4"	1.3/8"	1.1/2"	1.5/8"	1.3/4"
50	2"	0.054	0.073	0.108	0.135	0.172	0.279	0.400	0.554	0.747	0.960	1.229	1.543	1.950	2.333
55	2.1/4"	0.056	0.076	0.113	0.140	0.178	0.289	0.413	0.571	0.768	0.988	1.263	1.583	1.997	2.389
60	2.3/8"	0.058	0.079	0.117	0.145	0.184	0.298	0.425	0.587	0.790	1.015	1.296	1.623	2.045	2.444
65	2.1/2"	0.061	0.082	0.121	0.150	0.191	0.307	0.438	0.604	0.812	1.042	1.329	1.663	2.092	2.500
70	2.3/4"	0.063	0.085	0.125	0.155	0.197	0.317	0.451	0.621	0.833	1.069	1.362	1.703	2.139	2.555
75	3"	0.065	0.087	0.129	0.160	0.203	0.326	0.464	0.638	0.855	1.096	1.396	1.743	2.187	2.611
80	3.1/8"	0.067	0.090	0.133	0.165	0.210	0.335	0.477	0.655	0.876	1.123	1.429	1.783	2.234	2.666
85	3.1/4"	0.069	0.093	0.137	0.170	0.216	0.345	0.489	0.671	0.898	1.151	1.462	1.823	2.282	2.722
90	3.1/2"	0.071	0.096	0.141	0.174	0.222	0.354	0.502	0.688	0.920	1.178	1.495	1.863	2.329	2.777
95	3.3/4"	0.074	0.099	0.145	0.179	0.229	0.363	0.515	0.705	0.941	1.205	1.529	1.903	2.376	2.833
100	4"	0.076	0.102	0.149	0.184	0.235	0.373	0.528	0.722	0.963	1.232	1.562	1.943	2.424	2.888
105	4.1/8"	0.078	0.105	0.153	0.189	0.242	0.382	0.541	0.739	0.985	1.259	1.595	1.983	2.471	2.944
110	4.1/4"	0.080	0.108	0.157	0.194	0.248	0.391	0.553	0.755	1.006	1.286	1.628	2.023	2.519	2.999
115	4.1/2"	0.082	0.111	0.161	0.199	0.254	0.401	0.566	0.772	1.028	1.313	1.662	2.063	2.566	3.055
120	4.3/4"	0.084	0.114	0.165	0.204	0.261	0.410	0.579	0.789	1.050	1.341	1.695	2.103	2.613	3.110
125	5"	0.086	0.117	0.169	0.209	0.267	0.420	0.592	0.806	1.071	1.368	1.728	2.143	2.661	3.166
130	5.1/8"	0.089	0.120	0.173	0.214	0.273	0.429	0.605	0.823	1.093	1.395	1.761	2.183	2.708	3.221
135	5.1/4"	0.091	0.123	0.177	0.219	0.280	0.438	0.617	0.839	1.115	1.422	1.795	2.223	2.756	3.277
140	5.1/2"	0.093	0.126	0.181	0.224	0.286	0.448	0.630	0.856	1.136	1.449	1.828	2.263	2.803	3.33
145	5.3/4"	0.095	0.128	0.185	0.229	0.292	0.457	0.643	0.873	1.158	1.476	1.861	2.304	2.850	3.388
150	6"	0.097	0.131	0.189	0.234	0.299	0.466	0.656	0.890	1.180	1.503	1.894	2.344	2.898	3.443
155	6.1/8"	0.099	0.134	0.193	0.239	0.305	0.476	0.669	0.907	1.201	1.531	1.928	2.384	2.945	3.499
160	6.1/4"	0.102	0.137	0.197	0.244	0.311	0.485	0.681	0.923	1.223	1.558	1.961	2.424	2.993	3.554
165	6.1/2"	0.104	0.140	0.201	0.249	0.318	0.494	0.694	0.940	1.245	1.585	1.994	2.464	3.040	3.610
170	6.3/4"	0.106	0.143	0.205	0.254	0.324	0.504	0.707	0.957	1.266	1.612	2.027	2.504	3.087	3.665
175	6.7/8"	0.108	0.146	0.209	0.259	0.330	0.513	0.720	0.974	1.288	1.639	2.061	2.544	3.135	3.721
180	7"	0.110	0.149	0.213	0.264	0.337	0.522	0.733	0.991	1.309	1.666	2.094	2.584	3.182	3.776
185	7.1/4"	0.112	0.152	0.217	0.269	0.343	0.532	0.745	1.007	1.331	1.694	2.127	2.624	3.230	3.832
190	7.1/2"	0.114	0.155	0.221	0.274	0.349	0.541	0.758	1.024	1.353	1.721	2.160	2.664	3.277	3.887
195	7.3/4"	0.117	0.158	0.225	0.279	0.356	0.550	0.771	1.041	1.374	1.748	2.194	2.704	3.324	3.943
200	7.7/8"	0.119	0.161	0.229	0.284	0.362	0.560	0.784	1.058	1.396	1.775	2.227	2.744	3.372	3.998
205	8"	0.121	0.164	0.233	0.289	0.369	0.569	0.797	1.075	1.418	1.802	2.260	2.784	3.419	4.054
210	8.1/4"	0.123	0.167	0.237	0.294	0.375	0.578	0.809	1.091	1.439	1.829	2.293	2.824	3.467	4.109
215	8.1/2"	0.125	0.169	0.241	0.299	0.381	0.588	0.822	1.108	1.461	1.856	2.327	2.864	3.514	4.165
220	8.3/4"	0.127	0.172	0.245	0.304	0.388	0.597	0.835	1.125	1.483	1.884	2.360	2.904	3.561	4.220
225	8.7/8"	0.130	0.175	0.249	0.309	0.394	0.607	0.848	1.142	1.504	1.911	2.393	2.944	3.609	4.276
230	9"	0.132	0.178	0.253	0.314	0.400	0.616	0.861	1.159	1.526	1.938	2.426	2.984	3.656	4.331
235	9.1/4"	0.134	0.181	0.257	0.319	0.407	0.625	0.873	1.175	1.548	1.965	2.460	3.024	3.704	4.387
240	9.1/2"	0.136	0.184	0.261	0.324	0.413	0.635	0.886	1.192	1.569	1.992	2.493	3.064	3.751	4.442
245	9.5/8"	0.138	0.187	0.265	0.329	0.419	0.644	0.899	1.209	1.591	2.019	2.526	3.105	3.798	4.498
250	9.3/4"	0.140	0.190	0.269	0.334	0.426	0.653	0.912	1.226	1.613	2.046	2.559	3.145	3.846	4.553
255	10"	0.142	0.193	0.274	0.339	0.432	0.663	0.925	1.243	1.634	2.074	2.593	3.185	3.893	4.609
260	10.1/4"	0.145	0.196	0.278	0.344	0.438	0.672	0.937	1.259	1.656	2.101	2.626	3.225	3.941	4.664
265	10.1/2"	0.147	0.199	0.282	0.349	0.445	0.681	0.950	1.276	1.678	2.128	2.659	3.265	3.988	4.720
270	10.5/8"	0.149	0.202	0.286	0.354	0.451	0.691	0.963	1.293	1.699	2.155	2.692	3.305	4.035	4.775
275	10.3/4"	0.151	0.205	0.290	0.359	0.457	0.700	0.976	1.310	1.721	2.182	2.726	3.345	4.083	4.831


MATERIALS

SEE TECHNICAL ENCLOSURE

COATINGS

SEE TECHNICAL ENCLOSURE

**FULLY THREADED STUBBOLTS
WITH TWO HEAVY HEX NUTS
ANSI B16.5/ANSI B18.2.2 TABLE 9**



SALES DEPT.: TEL. ++39 02 96.97.98.20
PURCHASE DEPT.: TEL. ++39 02 96.97.98.30
EXPEDITING DEPT.: TEL. ++39 02 96.97.98.40

VIA DELL'ARTIGIANATO 12 - 22078 TURATE (CO) - ITALY
TEL. ++39 02 96.97.98.01 - FAX ++39 02 96.97.98.29
E-MAIL: info@pressbolt.com - WEB SITE: www.pressbolt.com

PRESS BOLT
S.R.L.

d		WEIGHT (Kg) PER 1 PIECE (IMPERIAL SIZE)													
		3/8"	7/16"	1/2"	9/16"	5/8"	3/4"	7/8"	1"	1.1/8"	1.1/4"	1.3/8"	1.1/2"	1.5/8"	1.3/4"
280	11"	0.153	0.208	0.294	0.364	0.464	0.709	0.989	1.327	1.742	2.209	2.759	3.385	4.130	4.886
285	11.1/4"	0.155	0.210	0.298	0.369	0.470	0.719	1.001	1.343	1.764	2.237	2.792	3.425	4.178	4.942
290	11.1/2"	0.158	0.213	0.302	0.374	0.476	0.728	1.014	1.360	1.786	2.264	2.825	3.465	4.225	4.997
295	11.5/8"	0.160	0.216	0.306	0.379	0.483	0.737	1.027	1.377	1.807	2.291	2.859	3.505	4.272	5.053
300	11.3/4"	0.162	0.219	0.310	0.384	0.489	0.747	1.040	1.394	1.829	2.318	2.892	3.545	4.320	5.108
305	12"	0.164	0.222	0.314	0.389	0.496	0.756	1.053	1.411	1.851	2.345	2.925	3.585	4.367	5.164
310	12.1/4"	0.166	0.225	0.318	0.394	0.502	0.765	1.065	1.427	1.872	2.372	2.958	3.625	4.415	5.219
315	12.1/2"	0.168	0.228	0.322	0.399	0.508	0.775	1.078	1.444	1.894	2.399	2.992	3.665	4.462	5.275
320	12.5/8"	0.170	0.231	0.326	0.404	0.515	0.784	1.091	1.461	1.916	2.427	3.025	3.705	4.509	5.330
325	12.3/4"	0.173	0.234	0.330	0.409	0.521	0.794	1.104	1.478	1.937	2.454	3.058	3.745	4.557	5.386
330	13"	0.175	0.237	0.334	0.414	0.527	0.803	1.117	1.495	1.959	2.481	3.091	3.785	4.604	5.441
335	13.1/4"	0.177	0.240	0.338	0.419	0.534	0.812	1.129	1.511	1.981	2.508	3.125	3.825	4.652	5.497
340	13.3/8"	0.179	0.243	0.342	0.424	0.540	0.822	1.142	1.528	2.002	2.535	3.158	3.865	4.699	5.552
345	13.1/2"	0.181	0.246	0.346	0.429	0.546	0.831	1.155	1.545	2.024	2.562	3.191	3.906	4.746	5.608
350	13.3/4"	0.183	0.249	0.350	0.434	0.553	0.840	1.168	1.562	2.046	2.589	3.224	3.946	4.794	5.663
355	14"	0.186	0.251	0.354	0.439	0.559	0.850	1.181	1.579	2.067	2.617	3.258	3.986	4.841	5.719
360	14.1/4"	0.188	0.254	0.358	0.444	0.565	0.859	1.193	1.595	2.089	2.644	3.291	4.026	4.889	5.774
365	14.3/8"	0.190	0.257	0.362	0.449	0.572	0.868	1.206	1.612	2.111	2.671	3.324	4.066	4.936	5.830
370	14.1/2"	0.192	0.260	0.366	0.454	0.578	0.878	1.219	1.629	2.132	2.698	3.357	4.106	4.983	5.885
375	14.3/4"	0.194	0.263	0.370	0.459	0.584	0.887	1.232	1.646	2.154	2.725	3.391	4.146	5.031	5.941
380	15"	0.196	0.266	0.374	0.464	0.591	0.896	1.245	1.663	2.175	2.752	3.424	4.186	5.078	5.996
385	15.1/4"	0.199	0.269	0.378	0.469	0.597	0.906	1.257	1.679	2.197	2.780	3.457	4.226	5.126	6.052
390	15.3/8"	0.201	0.272	0.382	0.474	0.603	0.915	1.270	1.696	2.219	2.807	3.490	4.266	5.173	6.107
395	15.1/2"	0.203	0.275	0.386	0.479	0.610	0.924	1.283	1.713	2.240	2.834	3.524	4.306	5.220	6.163
400	15.3/4"	0.205	0.278	0.390	0.483	0.616	0.934	1.296	1.730	2.262	2.861	3.557	4.346	5.268	6.218
405	16"	0.207	0.281	0.394	0.488	0.623	0.943	1.309	1.747	2.284	2.888	3.590	4.386	5.315	6.274
410	16.1/4"	0.209	0.284	0.398	0.493	0.629	0.952	1.321	1.763	2.305	2.915	3.623	4.426	5.363	6.329
415	16.3/8"	0.211	0.287	0.402	0.498	0.635	0.962	1.334	1.780	2.327	2.942	3.657	4.466	5.410	6.385
420	16.1/2"	0.214	0.290	0.406	0.503	0.642	0.971	1.347	1.797	2.349	2.970	3.690	4.506	5.457	6.440
425	16.3/4"	0.216	0.292	0.410	0.508	0.648	0.981	1.360	1.814	2.370	2.997	3.723	4.546	5.505	6.496
430	17"	0.218	0.295	0.414	0.513	0.654	0.990	1.373	1.831	2.392	3.024	3.756	4.586	5.552	6.551
435	17.1/8"	0.220	0.298	0.418	0.518	0.661	0.999	1.385	1.847	2.414	3.051	3.790	4.626	5.600	6.607
440	17.1/4"	0.222	0.301	0.422	0.523	0.667	1.009	1.398	1.864	2.435	3.078	3.823	4.666	5.647	6.662
445	17.1/2"	0.224	0.304	0.426	0.528	0.673	1.018	1.411	1.881	2.457	3.105	3.856	4.707	5.694	6.718
450	17.3/4"	0.227	0.307	0.430	0.533	0.680	1.027	1.424	1.898	2.479	3.132	3.889	4.747	5.742	6.773
455	18"	0.229	0.310	0.435	0.538	0.686	1.037	1.437	1.915	2.500	3.160	3.923	4.787	5.789	6.829
460	18.1/8"	0.231	0.313	0.439	0.543	0.692	1.046	1.449	1.931	2.522	3.187	3.956	4.827	5.837	6.884
465	18.1/4"	0.233	0.316	0.443	0.548	0.699	1.055	1.462	1.948	2.544	3.214	3.989	4.867	5.884	6.940
470	18.1/2"	0.235	0.319	0.447	0.553	0.705	1.065	1.475	1.965	2.565	3.241	4.022	4.907	5.931	6.995
475	18.3/4"	0.237	0.322	0.451	0.558	0.711	1.074	1.488	1.982	2.587	3.268	4.056	4.947	5.979	7.051
480	18.7/8"	0.239	0.325	0.455	0.563	0.718	1.083	1.501	1.999	2.608	3.295	4.089	4.987	6.026	7.106
485	19"	0.242	0.328	0.459	0.568	0.724	1.093	1.513	2.015	2.630	3.323	4.122	5.027	6.074	7.162
490	19.1/4"	0.244	0.331	0.463	0.573	0.730	1.102	1.526	2.032	2.652	3.350	4.155	5.067	6.121	7.217
495	19.1/2"	0.246	0.333	0.467	0.578	0.737	1.111	1.539	2.049	2.673	3.377	4.189	5.107	6.168	7.273
500	19.3/4"	0.248	0.336	0.471	0.583	0.743	1.121	1.552	2.066	2.695	3.404	4.222	5.147	6.216	7.328


MATERIALS

SEE TECHNICAL ENCLOSURE

COATINGS

SEE TECHNICAL ENCLOSURE

**FULLY THREADED STUBBOLTS
WITH TWO HEAVY HEX NUTS
ANSI B16.5/ANSI B18.2.2 TABLE 9**



SALES DEPT.: TEL. ++39 02 96.97.98.20
PURCHASE DEPT.: TEL. ++39 02 96.97.98.30
EXPEDITING DEPT.: TEL. ++39 02 96.97.98.40

VIA DELL'ARTIGIANATO 12 - 22078 TURATE (CO) - ITALY
TEL. ++39 02 96.97.98.01 - FAX ++39 02 96.97.98.29
E-MAIL: info@pressbolt.com - WEB SITE: www.pressbolt.com

PRESS BOLT
S.R.L.

d		WEIGHT (Kg) PER 1 PIECE (IMPERIAL SIZE)													
		1.7/8"	2"	2.1/4"	2.1/2"	2.3/4"	3"	3.1/4"	3.1/2"	3.3/4"	4"				
50	2"	2.830	3.394	4.667	6.282	7.953	9.769	11.970	15.499	18.579	22.948				
55	2.1/4"	2.894	3.467	4.761	6.398	8.094	9.938	12.173	15.735	18.844	23.253				
60	2.3/8"	2.958	3.540	4.854	6.515	8.236	10.108	12.375	15.971	19.109	23.557				
65	2.1/2"	3.022	3.613	4.948	6.631	8.377	10.277	12.578	16.207	19.374	23.862				
70	2.3/4"	3.086	3.686	5.041	6.748	8.519	10.447	12.780	16.443	19.639	24.166				
75	3"	3.150	3.759	5.135	6.864	8.660	10.616	12.983	16.679	19.904	24.470				
80	3.1/8"	3.214	3.832	5.228	6.981	8.802	10.786	13.185	16.915	20.169	24.775				
85	3.1/4"	3.278	3.905	5.322	7.097	8.943	10.955	13.388	17.151	20.434	25.079				
90	3.1/2"	3.342	3.978	5.415	7.214	9.085	11.125	13.590	17.387	20.699	25.384				
95	3.3/4"	3.406	4.051	5.509	7.330	9.226	11.294	13.793	17.623	20.964	25.688				
100	4"	3.470	4.124	5.602	7.447	9.368	11.464	13.995	17.859	21.229	25.992				
105	4.1/8"	3.534	4.197	5.696	7.563	9.509	11.633	14.198	18.095	21.494	26.297				
110	4.1/4"	3.598	4.270	5.789	7.680	9.651	11.803	14.400	18.331	21.759	26.601				
115	4.1/2"	3.662	4.343	5.883	7.796	9.792	11.972	14.603	18.567	22.024	26.906				
120	4.3/4"	3.726	4.416	5.976	7.913	9.934	12.142	14.805	18.803	22.289	27.210				
125	5"	3.790	4.489	6.070	8.029	10.075	12.311	15.008	19.039	22.554	27.514				
130	5.1/8"	3.854	4.562	6.163	8.146	10.217	12.481	15.210	19.275	22.819	27.819				
135	5.1/4"	3.918	4.635	6.257	8.262	10.358	12.650	15.413	19.511	23.084	28.123				
140	5.1/2"	3.982	4.708	6.350	8.379	10.500	12.820	15.615	19.747	23.349	28.428				
145	5.3/4"	4.046	4.781	6.444	8.495	10.641	12.989	15.818	19.983	23.614	28.732				
150	6"	4.110	4.854	6.537	8.612	10.783	13.159	16.020	20.219	23.879	29.036				
155	6.1/8"	4.174	4.927	6.631	8.728	10.924	13.328	16.223	20.455	24.144	29.341				
160	6.1/4"	4.238	5.000	6.724	8.845	11.066	13.498	16.425	20.691	24.409	29.645				
165	6.1/2"	4.302	5.073	6.818	8.961	11.207	13.667	16.628	20.927	24.674	29.950				
170	6.3/4"	4.366	5.146	6.911	9.078	11.349	13.837	16.830	21.163	24.939	30.254				
175	6.7/8"	4.430	5.219	7.005	9.194	11.490	14.006	17.033	21.399	25.204	30.558				
180	7"	4.494	5.292	7.098	9.311	11.632	14.176	17.235	21.635	25.469	30.863				
185	7.1/4"	4.558	5.365	7.192	9.427	11.773	14.345	17.438	21.871	25.734	31.167				
190	7.1/2"	4.622	5.438	7.285	9.544	11.915	14.515	17.640	22.107	25.999	31.472				
195	7.3/4"	4.686	5.511	7.379	9.660	12.056	14.684	17.843	22.343	26.264	31.776				
200	7.7/8"	4.750	5.584	7.472	9.777	12.198	14.854	18.045	22.579	26.529	32.080				
205	8"	4.814	5.657	7.566	9.893	12.339	15.023	18.248	22.815	26.794	32.385				
210	8.1/4"	4.878	5.730	7.659	10.010	12.481	15.193	18.450	23.051	27.059	32.689				
215	8.1/2"	4.942	5.803	7.753	10.126	12.622	15.362	18.653	23.287	27.324	32.994				
220	8.3/4"	5.006	5.876	7.846	10.243	12.764	15.532	18.855	23.523	27.589	33.298				
225	8.7/8"	5.070	5.949	7.940	10.359	12.905	15.701	19.058	23.759	27.854	33.602				
230	9"	5.134	6.022	8.033	10.476	13.047	15.871	19.260	23.995	28.119	33.907				
235	9.1/4"	5.198	6.095	8.127	10.592	13.188	16.040	19.463	24.231	28.384	34.211				
240	9.1/2"	5.262	6.168	8.220	10.709	13.330	16.210	19.665	24.467	28.649	34.516				
245	9.5/8"	5.326	6.241	8.314	10.825	13.471	16.379	19.868	24.703	28.914	34.820				
250	9.3/4"	5.390	6.314	8.407	10.942	13.613	16.549	20.070	24.939	29.179	35.124				
255	10"	5.454	6.387	8.501	11.058	13.754	16.718	20.273	25.175	29.444	35.429				
260	10.1/4"	5.518	6.460	8.594	11.175	13.896	16.888	20.475	25.411	29.709	35.733				
265	10.1/2"	5.582	6.533	8.688	11.291	14.037	17.057	20.678	25.647	29.974	36.038				
270	10.5/8"	5.646	6.606	8.781	11.408	14.179	17.227	20.880	25.883	30.239	36.342				
275	10.3/4"	5.710	6.679	8.875	11.524	14.320	17.396	21.083	26.119	30.504	36.646				


MATERIALS

SEE TECHNICAL ENCLOSURE

COATINGS

SEE TECHNICAL ENCLOSURE

**FULLY THREADED STUBBOLTS
WITH TWO HEAVY HEX NUTS
ANSI B16.5/ANSI B18.2.2 TABLE 9**



SALES DEPT.: TEL. ++39 02 96.97.98.20
PURCHASE DEPT.: TEL. ++39 02 96.97.98.30
EXPEDITING DEPT.: TEL. ++39 02 96.97.98.40

VIA DELL'ARTIGIANATO 12 - 22078 TURATE (CO) - ITALY
TEL. ++39 02 96.97.98.01 - FAX ++39 02 96.97.98.29
E-MAIL: info@pressbolt.com - WEB SITE: www.pressbolt.com

PRESS BOLT
S.R.L.

d		WEIGHT (Kg) PER 1 PIECE (IMPERIAL SIZE)													
		1.7/8"	2"	2.1/4"	2.1/2"	2.3/4"	3"	3.1/4"	3.1/2"	3.3/4"	4"				
280	11"	5.774	6.752	8.968	11.641	14.462	17.566	21.285	26.355	30.769	36.951				
285	11.1/4"	5.838	6.825	9.062	11.757	14.603	17.735	21.488	26.591	31.034	37.255				
290	11.1/2"	5.902	6.898	9.155	11.874	14.745	17.905	21.690	26.827	31.299	37.560				
295	11.5/8"	5.966	6.971	9.249	11.990	14.886	18.074	21.893	27.063	31.564	37.864				
300	11.3/4"	6.030	7.044	9.342	12.107	15.028	18.244	22.095	27.299	31.829	38.168				
305	12"	6.094	7.117	9.436	12.223	15.169	18.413	22.298	27.535	32.094	38.473				
310	12.1/4"	6.158	7.190	9.529	12.340	15.311	18.583	22.500	27.771	32.359	38.777				
315	12.1/2"	6.222	7.263	9.623	12.456	15.452	18.752	22.703	28.007	32.624	39.082				
320	12.5/8"	6.286	7.336	9.716	12.573	15.594	18.922	22.905	28.243	32.889	39.386				
325	12.3/4"	6.350	7.409	9.810	12.689	15.735	19.091	23.108	28.479	33.154	39.690				
330	13"	6.414	7.482	9.903	12.806	15.877	19.261	23.310	28.715	33.419	39.995				
335	13.1/4"	6.478	7.555	9.997	12.922	16.018	19.430	23.513	28.951	33.684	40.299				
340	13.3/8"	6.542	7.628	10.090	13.039	16.160	19.600	23.715	29.187	33.949	40.604				
345	13.1/2"	6.606	7.701	10.184	13.155	16.301	19.769	23.918	29.423	34.214	40.908				
350	13.3/4"	6.670	7.774	10.277	13.272	16.443	19.939	24.120	29.659	34.479	41.212				
355	14"	6.734	7.847	10.371	13.388	16.584	20.108	24.323	29.895	34.744	41.517				
360	14.1/4"	6.798	7.920	10.464	13.505	16.726	20.278	24.525	30.131	35.009	41.821				
365	14.3/8"	6.862	7.993	10.558	13.621	16.867	20.447	24.728	30.367	35.274	42.126				
370	14.1/2"	6.926	8.066	10.651	13.738	17.009	20.617	24.930	30.603	35.539	42.430				
375	14.3/4"	6.990	8.139	10.745	13.854	17.150	20.786	25.133	30.839	35.804	42.734				
380	15"	7.054	8.212	10.838	13.971	17.292	20.956	25.335	31.075	36.069	43.039				
385	15.1/4"	7.118	8.285	10.932	14.087	17.433	21.125	25.538	31.311	36.334	43.343				
390	15.3/8"	7.182	8.358	11.025	14.204	17.575	21.295	25.740	31.547	36.599	43.648				
395	15.1/2"	7.246	8.431	11.119	14.320	17.716	21.464	25.943	31.783	36.864	43.952				
400	15.3/4"	7.310	8.504	11.212	14.437	17.858	21.634	26.145	32.019	37.129	44.256				
405	16"	7.374	8.577	11.306	14.553	17.999	21.803	26.348	32.255	37.394	44.561				
410	16.1/4"	7.438	8.650	11.399	14.670	18.141	21.973	26.550	32.491	37.659	44.865				
415	16.3/8"	7.502	8.723	11.493	14.786	18.282	22.142	26.753	32.727	37.924	45.170				
420	16.1/2"	7.566	8.796	11.586	14.903	18.424	22.312	26.955	32.963	38.189	45.474				
425	16.3/4"	7.630	8.869	11.680	15.019	18.565	22.481	27.158	33.199	38.454	45.778				
430	17"	7.694	8.942	11.773	15.136	18.707	22.651	27.360	33.435	38.719	46.083				
435	17.1/8"	7.758	9.015	11.867	15.252	18.848	22.820	27.563	33.671	38.984	46.387				
440	17.1/4"	7.822	9.088	11.960	15.369	18.990	22.990	27.765	33.907	39.249	46.692				
445	17.1/2"	7.886	9.161	12.054	15.485	19.131	23.159	27.968	34.143	39.514	46.996				
450	17.3/4"	7.950	9.234	12.147	15.602	19.273	23.329	28.170	34.379	39.779	47.300				
455	18"	8.014	9.307	12.241	15.718	19.414	23.498	28.373	34.615	40.044	47.605				
460	18.1/8"	8.078	9.380	12.334	15.835	19.556	23.668	28.575	34.851	40.309	47.909				
465	18.1/4"	8.142	9.453	12.428	15.951	19.697	23.837	28.778	35.087	40.574	48.214				
470	18.1/2"	8.206	9.526	12.521	16.068	19.839	24.007	28.980	35.323	40.839	48.518				
475	18.3/4"	8.270	9.599	12.615	16.184	19.980	24.176	29.183	35.559	41.104	48.822				
480	18.7/8"	8.334	9.672	12.708	16.301	20.122	24.346	29.385	35.795	41.369	49.127				
485	19"	8.398	9.745	12.802	16.417	20.263	24.515	29.588	36.031	41.634	49.431				
490	19.1/4"	8.462	9.818	12.895	16.534	20.405	24.685	29.790	36.267	41.899	49.736				
495	19.1/2"	8.526	9.891	12.989	16.650	20.546	24.854	29.993	36.503	42.164	50.040				
500	19.3/4"	8.590	9.964	13.082	16.767	20.688	25.024	30.195	36.739	42.429	50.344				

MATERIALS

SEE TECHNICAL ENCLOSURE

COATINGS

SEE TECHNICAL ENCLOSURE